Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1 8. (Canceled)
- 9. (Currently Amended) A The composition according to of claim 8, characterised in that 21 wherein the compound of general formula (I) pyridylethylbenzamide derivative is N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl} -2-trifluoromethylbenzamide.
- 10. (Currently Amended) A The composition according to of claim 1, characterised in that 21 wherein the compound capable of inhibiting the transport of electrons of the respiratory chain in phytopathogenic fungal organisms is a compound capable of inhibiting reduced nicotinamide-adenine dinucleotide dehydrogenase in phytopathogenic fungal organisms.
- 11. (Currently Amended) A The composition according to of claim 10, characterised in that wherein the compound capable of inhibiting the transport of electrons of the respiratory chain in phytopathogenic fungal organisms is diffumetorin.
- 12. (Currently Amended) A The composition according to of claim 1, characterised in that

 21 wherein the compound capable of inhibiting the transport of electrons of the respiratory chain

in phytopathogenic fungal organisms is a compound capable of inhibiting succinate dehydrogenase in phytopathogenic fungal organisms.

- 13. (Currently Amended) A The composition according to of claim 12 characterised in that wherein the compound capable of inhibiting the transport of electrons of the respiratory chain of succinate dehydrogenase in phytopathogenic fungal organisms is selected from the group consisting of N-[2-(1,3-dimethyl-butyl)-phenyl]-5-fluoro-1,3-dimethyl-1H-pyrazole-4-carboxamide, -(3',4'-dichloro-5-fluorobiphenyl-2-yl)-3-(difluoro-methyl)-1-methyl-1H-pyrazole-4-carboxamide, -[2-(1,3-dimethylbutyl)-thiophen-3-yl]1-methyl-3-(trifluoromethyl)-1H-py-razole-4-carboxamide, benodanil, carboxin, fenfuram, flutolanil, furametpyr, mepronil, boscalid, oxycarboxin or and thifluzamide.
- 14. (Currently Amended) A The composition according to of claim 1, characterised in that

 21 wherein the compound capable of inhibiting the transport of electrons of the respiratory chain in phytopathogenic fungal organisms is a compound capable of inhibiting mitochondrial ubiquinol:ferricytochrome-c oxidoreductase in phytopathogenic fungal organisms.
- 15. (Currently Amended) A The composition according to of claim 14, characterised in that wherein the compound capable of inhibiting the transport of electrons of the respiratory chain of mitochondrial ubiquinol:ferricytochrome-c oxidoreductase in phytopathogenic fungal organisms

is <u>selected from the group consisting of</u> a strobilurin derivative, cyazofamid, fenamidone or and famoxadone.

- 16. (Currently Amended) A The composition according to of claim 15, characterised in that wherein the strobilurin derivative is selected from the group consisting of azoxystrobin, dimoxystrobin, fluoxastrobin, kresoxim-methyl, metominostrobin, trifloxystrobin, pyraclostrobin, picoxystrobin or and 2-{2-[6-(3-chloro-2-methylphenoxy)-5-fluoro-pyrimidin-4-yloxy]-phenyl}2-methoxyimino-N-methylacetamide.
- 17. (Currently Amended) A The composition according to of claim + 21 further comprising a fungicidal compound (c).
- 18. (Currently Amended) A The composition according to of claim 17, characterised in that wherein the fungicidal compound (c) is selected from the group consisting of captane, folpet, dodine, propineb, mancozeb, thiram, tolylfluanid, iminoctadine, dithianon, copper hydroxide, copper octanoate, copper oxychloride, copper sulfate, fosetyl-Al, phosphorous acid, cymoxanil, iprovalicarb, benthiavalicarb, chlorotalonil, propamocarb, prothioconazole, tebuconazole and spiroxamine.

- 19. (Currently Amended) A The composition according to of claim † 21, characterised in that it further comprises comprising an agriculturally acceptable support, carrier, filler and/or surfactant.
- 20. (Withdrawn Currently Amended) A method for preventively or curatively controlling phytopathogenic fungi of crops, characterised in that wherein an effective and non-phytotoxic amount of a composition according to claim † 21 is applied to the seed, the plant and/or to the fruit of the plant or to the soil in which the plant is growing or in which it is desired to grow.
- 21. (New) A composition comprising:
- a) a pyridylethylbenzamide derivative selected from the group consisting of: N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide; N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-iodobenzamide; and N-{2-[3,5-dichloro-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide; as to the N-oxides of 2-pyridine thereof; and
- b) a compound capable of inhibiting the transport of electrons of the respiratory chain in phytopathogenic fungal organisms;
 - in a (a) / (b) weight ratio of from 0.01 to 20.